Scotsman®

SCOTSMAN CATALOGUE 2026

ICE IS US

ART OF MAKING ICE

MAKE ICE COOL

MAKING ART WITH ICE

Scotsman

Welcome to Scotsman

The industry's only complete solution for highly efficient, superior-performing ice systems.

Worldwide footprint

Manufacturing facilities strategically located in the USA, Italy and China to better serve our markets.

Italy
China

Unmatched Market Coverage

We have the largest network in the world, distributing products in over 100 countries and serving over a million customers.

International HQ
MILAN

Americas HQ
CHICAGO

Regional Office
DUBAI

Regional Office
SINGAPORE

Sales Office
JOHANNESBURG

Sales Office
MADRID

Sales Office
SHANGHAI

Hotels and
Fine Dining

Premium
Mixology

QSR and
Casual Dining

Coffee Chains
and Speciality

Airlines and
Cruise Ships

Food Retail &
CVs Stores

The new era of Scotsman ice machines

EXS

THE NEW SQUARE CUBE SERIES

AXG - EXG

THE NEXT GOURMET GENERATION

Discover
more

NXW

THE NEXT
DICE ICE SERIES

DXN

THE REVOLUTION
IN ICE DISPENSING



Every cube, an experience

Square
gourmet ice

Gourmet
Ice

Dice
Ice



Nugget &
Cubelet Ice



Flake
Ice

Scale
Ice

SQUARE GOURMET

Perfectly square and clear, solid, and slow-melting, it is ideal for enhancing premium cocktails, whisky, spirits, and high-end mixed drinks.

Square Gourmet

24 g - Ø 30 mm
H 30 mm

NEW EXS SERIES - R290

XSafe

Specsheets

Stainless steel finishing
Front access for easier maintenance.
Built-in storage bin
PWD - Progressive Water Discharge: pumps excess residual water up to a distance of 15 meters.
SELF SANITATION System XSafe®
Low power and water consumption
R290 refrigerant
Electronic control board

EXS 87
Cube size:
Square cube
Condensing system:
Air cooled
Max daily production:
44 kg Square cube

Storage bin capacity:
17 kg
Dimensions:
W 485 mm
D 575 mm
H 816 mm

EXS 107
Cube size:
Square cube
Condensing system:
Air cooled
Max daily production:
50 kg Square cube

Storage bin capacity:
18 kg
Dimensions:
W 485 mm
D 575 mm
H 816 mm

EXS 167
Cube size:
Square cube
Condensing system:
Air cooled
Max daily production:
79 kg Square cube

Storage bin capacity:
33 kg
Dimensions:
W 670 mm
D 595 mm
H 893 mm

GOURMET

Crystal clear, pure, hard and long-lasting ice cubes.
Ideal for up-scale operations such as hotels, fine dining, specialty coffee and high-end bars.
Its fast cooling action and slow dilution keep drinks chilled for a long time.

Small Gourmet
8 g - Ø 21 mm
H 25 mm

Medium Gourmet
20 g - Ø 30 mm
H 34 mm

Large Gourmet
39 g - Ø 38 mm
H 41 mm

Extra Large Gourmet
60 g - Ø 44 mm
H 46 mm

NEW EXG SERIES - R290

XSafe

Specsheets

EXG 47
Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
25 kg Medium cubes

Storage bin capacity:
8 kg
Dimensions:
W 400 mm
D 555 mm
H 640 mm

EXG 67
Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
30 kg Medium cubes

Storage bin capacity:
11,5 kg
Dimensions:
W 400 mm
D 555 mm
H 700 mm

EXG 87
Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
45 kg Medium cubes

Storage bin capacity:
21 kg
Dimensions:
W 540 mm
D 555 mm
H 800 mm

EXG 107
Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
55 kg Medium cubes

Storage bin capacity:
21 kg
Dimensions:
W 540 mm
D 555 mm
H 800 mm

Crystal clear Gourmet® solid ice cubes

- Meets ENERGY STAR and LEED Eligibility Criteria
- SELF SANITATION System XSafe®
- Natural refrigerant R290 with GWP 3 and ODP 0
- Total FRONT VENTILATION made for BULT-IN installation
- Stylish black colour finishing
- Integrated DRAIN PUMP (no need for gravity drain)
- User friendly internal cleaning, no tools needed
- Remote service support capability with XWave free App.
- Delayed automatic start
- 3D ventilation grid with removable air filter
- Magnetic scoop holder

EXG 167

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
74 kg Medium cubes

Storage bin capacity:
39 kg
Dimensions:
W 680 mm
D 600 mm
H 920 mm / 1010 mm with legs

EXG 207

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
96 kg Medium cubes

Storage bin capacity:
51 kg
Dimensions:
W 750 mm
D 585 mm
H 1000 mm

EXG 307

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
150 kg Medium cubes

Storage bin capacity:
72 kg
Dimensions:
W 850 mm
D 756 mm
H 1000 mm

NEW AXG SERIES - R290

XSafe

Specsheets

AXG 47
Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
25 kg Medium cubes

Storage bin capacity:
8 kg
Dimensions:
W 400 mm
D 555 mm
H 640 mm

AXG 67
Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
30 kg Medium cubes

Storage bin capacity:
11.5 kg
Dimensions:
W 400 mm
D 555 mm
H 700 mm

AXG 87
Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
45 kg Medium cubes

Storage bin capacity:
21 kg
Dimensions:
W 540 mm
D 555 mm
H 800 mm

AXG 107
Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
52 kg Medium cubes

Storage bin capacity:
21 kg
Dimensions:
W 540 mm
D 555 mm
H 800 mm

Crystal clear Gourmet® solid ice cubes

- Meets ENERGY STAR and LEED Eligibility Criteria
- Natural refrigerant R290 with GWP 3 and ODP 0
- Total FRONT VENTILATION made for BULT-IN installation
- Stylish black colour finishing
- User friendly internal cleaning, no tools needed
- Remote service support capability with XWave free App.
- Delayed automatic start
- 3D ventilation grid with removable air filter
- Magnetic scoop holder

AXG 167

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
74 kg Medium cubes

Storage bin capacity:
39 kg
Dimensions:
W 680 mm
D 600 mm
H 920 mm / 1010 mm with legs

AXG 207

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
96 kg Medium cubes

Storage bin capacity:
51 kg
Dimensions:
W 750 mm
D 585 mm
H 1000 mm

AXG 307

Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
150 kg Medium cubes

Storage bin capacity:
72 kg
Dimensions:
W 850 mm
D 756 mm
H 1000 mm

EC SERIES - R290

XSafe

Specsheets

EC 47
Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
27 kg Medium cubes

Storage bin capacity:
9 kg
Dimensions:
W 386 mm
D 600 mm
H 645 mm

EC 57
Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
34 kg Medium cubes

Storage bin capacity:
12 kg
Dimensions:
W 386 mm
D 600 mm
H 695 mm

EC 87
Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
44 kg Medium cubes

Storage bin capacity:
19 kg
Dimensions:
W 531 mm
D 600 mm
H 785 mm / 825 mm with legs

EC 107
Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
54 kg Medium cubes

Storage bin capacity:
23 kg
Dimensions:
W 531 mm
D 600 mm
H 840 mm / 930 mm with legs

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Clean alert: advises with a blink when it's time to clean the filter.
Electronic control: ambient and water temperatures may change throughout the years but your ice machine will stay the same.
Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.
Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.
Scale accumulation preventing system: traps ice makers' enemy No. 1 in one place and makes it harmless.
Ergonomic access to ice with sliding disappearing door: one-touch door lift, makes barman's life significantly easier.
PWD - Progressive Water Discharge: pumps excess residual water up to a distance of 15 meters.
Built-in storage bin: allows most undercounter installations for easier fit-in solutions.
EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.
The full EcoX range is available on AC series as well.

EC 127
Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
75 kg Medium cubes

Storage bin capacity:
39 kg
Dimensions:
W 680 mm
D 600 mm
H 920 mm / 1010 mm with legs

EC 177
Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
83 kg Medium cubes

Storage bin capacity:
48 kg
Dimensions:
W 680 mm
D 600 mm
H 990 mm / 1010 mm with legs

EC 207
Cube size:
Small cube
Medium cube
Large cube
Extra Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
150 kg Medium cubes

Storage bin capacity:
50 kg
Dimensions:
W 1250 mm
D 622 mm
H 779 mm / 809 mm with legs

EC 227
Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
170 kg Medium cubes

Storage bin capacity:
70 kg
Dimensions:
W 1078 mm
D 715 mm
H 1005 mm / 1085 mm with legs

AC SERIES - R290

Specsheets

AC 47
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
27 kg Medium cubes

Storage bin capacity:
9 kg
Dimensions:
W 386 mm
D 600 mm
H 645 mm

AC 57
Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
34 kg Medium cubes

Storage bin capacity:
12 kg
Dimensions:
W 386 mm
D 600 mm
H 695 mm

AC 87
Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
44 kg Medium cubes

Storage bin capacity:
19 kg
Dimensions:
W 531 mm
D 600 mm
H 785 mm / 875 mm with legs

AC 107
Cube size:
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
54 kg Medium cubes

Storage bin capacity:
23 kg
Dimensions:
W 531 mm
D 600 mm
H 840 mm / 930 mm with legs

Clean alert: advises with a blink when it's time to clean the filter.
Electronic control: ambient and water temperatures may change throughout the years but your ice machine will stay the same.
Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.
Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.
Scale accumulation preventing system: traps ice makers' enemy No. 1 in one place and makes it harmless.
Ergonomic access to ice with sliding disappearing door: one-touch door lift, makes barman's life significantly easier.
Built-in storage bin: allows most undercounter installations for easier fit-in solutions.
EcoX: the AC series is availabe on the EcoX version, using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

AC 127
Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
75 kg Medium cubes

Storage bin capacity:
39 kg
Dimensions:
W 680 mm
D 600 mm
H 920 mm / 1010 mm with legs

AC 177
Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
83 kg Medium cubes

Storage bin capacity:
48 kg
Dimensions:
W 680 mm
D 600 mm
H 990 mm / 1080 mm with legs

AC 207
Cube size:
Small cube
Medium cube
Large cube
Extra Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
150 kg Medium cubes

Storage bin capacity:
50 kg
Dimensions:
W 1250 mm
D 622 mm
H 779 mm / 809 mm with legs

AC 227
Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
165 kg Medium cubes

Storage bin capacity:
70 kg
Dimensions:
W 1078 mm
D 715 mm
H 1005 mm / 1085 mm with legs

MXG SERIES - R290

XSafe

Specsheets

MXG 327
Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
152 kg Medium cubes

Dimensions (Head only):
W 560 mm
D 700 mm
H 720 mm
Recommended bins:
SB 193, SB 322

MXG 427
Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
170 kg Medium cubes

Dimensions (Head only):
W 560 mm
D 700 mm
H 720 mm
Recommended bins:
SB 193, SB 322

MXG 437
Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
195 kg Medium cubes

Dimensions (Head only):
W 765 mm
D 700 mm
H 720 mm
Recommended bins:
SB 393, SB 530

MXG 637
Cube size:
Small cube
Medium cube
Large cube
Extra Large cube
Condensing system:
Air cooled
Water cooled
Air cooled remote
Max daily production:
300 kg Medium cubes

Dimensions (Head only):
W 765 mm
D 700 mm
H 1125 mm
Recommended bins:
SB 393, SB 530

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Electronic control: ambient and water temperatures may change throughout the years but your ice machine will stay the same.
External indicator lights: keep ice maker's operations under constant surveillance.
Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.
Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.
Clean alert: advises with a blink when it's time to clean the filter.
Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.
Head only ice maker: requires a separate storage bin to store the ice produced.*
EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

MXG 438 - R452
Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled remote
Max daily production:
190 kg Medium cubes

Dimensions (Head only):
W 765 mm
D 700 mm
H 720 mm
Recommended bins:
SB 393, SB 530

MXG 638 - R452
Cube size:
Small cube
Medium cube
Large cube
Extra Large cube
Condensing system:
Air cooled
Water cooled
Air cooled remote
Max daily production:
370 kg Medium cubes

Dimensions (Head only):
W 765 mm
D 700 mm
H 1125 mm
Recommended bins:
SB 393, SB 530

MXG 938 - R452
Cube size:
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Air cooled remote
Max daily production:
400 kg Medium cubes

Dimensions (Head only):
W 765 mm
D 700 mm
H 1235 mm
Recommended bins:
SB 393, SB 530

DXG 37
Ice Dispenser
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
30 kg Medium cubes

Storage bin capacity:
11 kg
Dimensions:
W 380 mm
D 515 mm
H 1606 mm /1696 mm with legs

* For all possible bin combinations available, please refer to chart at page 66.

Creatively Chilled

otsman



DICE

Classic six-sided ice cube. Its greater surface for heat exchange promotes rapid chilling. The perfect solution for QSR, cafés, banquet venues, catering and cinemas.

Half Dice
Small Cube

6 g
W 10 mm / D 22 mm / H 28 mm

Dice
Medium Cube

10 g
W 22 mm / D 22 mm / H 22 mm

Large

15 g
W 28 mm / D 22 mm / H 28 mm

NXW SERIES - R290

XSafe

Specsheets

NXW 307
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
150 kg Dice cubes

Dimensions (Head only):
W 565 mm
D 640 mm
H 635 mm

Recommended bins:
SB 193, SB 393, SB 530

NXW 457
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
200 kg Dice cubes

Dimensions (Head only):
W 767 mm
D 636 mm
H 600 mm

Recommended bins:
SB 393, SB 530, SB 948

NXW 507
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
220 kg Dice cubes

Dimensions (Head only):
W 565 mm
D 640 mm
H 635 mm

Recommended bins:
SB 193, SB 393, SB 530

NXW 607
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
280 kg Dice cubes

Dimensions (Head only):
W 767 mm
D 636 mm
H 600 mm

Recommended bins:
SB 393, SB 530, SB 948

NXW series
Dice, Half Dice or Large solid ice cubes
Meets ENERGY STAR and LEED Eligibility Criteria
SELF SANITATION System XSafe®
Hinged front panel
Tools free removal of internal parts (water sump, distribution tube, pump, etc)
Super easy internal cleaning
Natural refrigerant R290 with GWP 3 and ODP 0
Very large air vents, keeping high yield in hot environment
Remote service support capability with XWave free App.
Delayed automatic start
Automatic Cleaning cycle

NXW 707

Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
320 kg Dice cubes

Dimensions
W 565 mm
D 640 mm
H 683 mm

Recommended bins:
SB 193, SB 393, SB 530

NXW 1007

Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
480 kg Dice cubes

Dimensions
W 767 mm
D 636 mm
H 780 mm

Recommended bins:
SB 393, SB 530, SB 948

NU SERIES - R290
NW SERIES - R290
XSafe

Specsheets

NU 157
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
85 kg Dice cubes

Storage bin capacity:
20 kg
Dimensions:
W 600 mm
D 610 mm
H 744 mm / 770 mm
with short legs

NU 227
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
109 kg Dice cubes

Storage bin capacity:
37 kg
Dimensions:
W 650 mm
D 690 mm
H 842 mm / 870 mm
with short legs

NU 307
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
142 kg Dice cubes

Storage bin capacity:
37 kg
Dimensions:
W 650 mm
D 690 mm
H 869 mm / 1003 mm
with long legs

NU series
XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Front-in & front-out air flow: no need to leave space on the back.
One touch cleaning: educes labor costs while saving time and simplifies cleaning process.
Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and make your ice maker live longer.
Ergonomic access to ice with sliding disappearing door: one touch door lift, makes barman's life significantly easier.
Easy cleaning: through routine maintenance.
Built-in storage bin: allows undercounter installations for easier fit-in solution, specifically for coffee shops.
EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

NW series
XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.
One touch cleaning: reduces labor costs while saving time and simplifies cleaning process.
Front evaporator access: immediate access to the evaporating plate for quick self-maintenance operations.
Stackable: add flexibility! (only 30" models).
Condenser air filter: removable for easy maintenance.
Top exhaust airflow: exit of hot air from the top, no free space required on sides (only 22" NW307 and NW508).
Head only ice maker: requires a separate storage bin to collect the ice produced*.
EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

NW 307 - R290
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
190 kg Dice cubes

Dimensions (Head only):
W 557 mm
D 610 mm
H 609 mm
Recommended bins:
SB 193, SB 322

NW 507 - R290
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
210 kg Dice cubes

Dimensions (Head only):
W 557 mm
D 610 mm
H 609 mm
Recommended bins:
SB 193, SB 322

* For all possible bin combinations available, please refer to chart at page 66.

NW SERIES
XSafe

Specsheets

NW 457 - R290
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Max daily production:
220 kg Dice cubes

Dimensions (Head only):
W 760 mm
D 620 mm
H 575 mm
Recommended bins:
SB 393, SB 530

NW 607 -R290
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
309 kg Dice cubes

Dimensions (Head only):
W 760 mm
D 620 mm
H 575 mm
Recommended bins:
SB 393, SB 530

NW 608 -R452
Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Air cooled remote
Max daily production:
320 kg Dice cubes

Dimensions (Head only):
W 760 mm
D 620 mm
H 575 mm
Recommended bins:
SB 393, SB 530

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.
One touch cleaning: reduces labor costs while saving time and simplifies cleaning process.
Front evaporator access: immediate access to the evaporating plate for quick self-maintenance operations.
Stackable: add flexibility! (only 30" models).
Condenser air filter: removable for easy maintenance.
Top exhaust airflow: exit of hot air from the top, no free space required on sides (only 22" NW308 and NW508).
Head only ice maker: requires a separate storage bin to collect the ice produced*.
EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

NW 1008 - R452

Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Air cooled remote
Max daily production:
485 kg Dice cubes

Dimensions (Head only):
W 760 mm
D 620 mm
H 800 mm
Recommended bins:
SB 530, SB 948

NW 1408 - R452

Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Air cooled remote
Max daily production:
680 kg Dice cubes

Dimensions (Head only):
W 765 mm
D 610 mm
H 1000 mm
Recommended bins:
SB 530, SB 948

* For all possible bin combinations available, please refer to chart at page 66.

NUGGET



Compressed flake ice available either in regular micro-cubes or irregular chips. Multi-use versatility that's great with carbonated drinks and smoothies, while a perfect option for food and plate displays. Long lasting, easy to use, high and fast displacement, and hands-free dispensing.

Nugget

1 g / Ø 11 mm / H 13 mm
Residual water content 8%

Cubelet

Residual water content 8%

MFN SERIES

Specsheets

MFN 46 - R452
Ice type:
Nugget
Condensing system:
Air cooled
Water cooled
Max daily production:
270 kg

Dimensions (Head only):
W 538 mm
D 663 mm
H 650 mm
Recommended bins:
SB 193, SB 322

MFN 47 - R290
Ice type:
Nugget
Condensing system:
Air cooled
Max daily production:
290 kg

Dimensions (Head only):
W 538 mm
D 663 mm
H 650 mm
Recommended bins:
SB 193, SB 322

MFN 56 - R452
Ice type:
Nugget
Condensing system:
Air cooled
Water cooled
Max daily production:
470 kg

Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 393, SB 530

MFN 57 - R290
Ice type:
Nugget
Condensing system:
Air cooled
Max daily production:
350 kg

Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 393, SB 530

Electronic control: ambient and water temperatures may change throughout the years but your ice machine will stay the same.
External indicator lights: keep ice machine's operations under constant surveillance.
Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.
Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.
Head only ice maker: requires a separate storage bin to store the ice produced.*
XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744. (MFN 47/ MFN 57)

MFN 86 - R452

Ice type:
Nugget
Condensing system:
Air cooled
Water cooled
Max daily production:
1900 kg

Dimensions (Head only):
W 1080 mm
D 780 mm
H 1140 mm / 1255 mm with legs
Recommended bins:
UBH 2250, SIS 1350

MFN 88 Split

Ice type:
Nugget
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
1900 kg

Dimensions:
W 569 mm
D 869 mm
H 1271 mm
Recommended bins:
UBH 2250, SIS 1350

* For all possible bin combinations available, please refer to chart at page 66.

DXN SERIES – R290
AFC SERIES

Specsheets

DXN 107
Ice & Water Dispenser
Ice type:
Cubelet
Condensing system:
Air cooled
Max daily production:
70 kg
Servings in peak time: 100
Servings per day: 1200

Storage bin capacity:
5 kg
Dimensions:
W 427 mm
D 552 mm
H 619 mm

DXN 187
Ice & Water Dispenser
Ice type:
Cubelet
Condensing system:
Air cooled
Max daily production:
100 kg
Servings in peak time: 200
Servings per day: 2400

Storage bin capacity:
10 kg
Dimensions:
W 427 mm
D 552 mm
H 769 mm

DXN INFINITY
Ice & Water Dispenser
Ice type:
Nugget
Condensing system:
Air cooled
Max daily production:
430 kg

Available
BUILT-IN or STAND ALONE

Storage bin capacity:
10 kg
Dimensions:
W 585 mm
D 608 mm
H 1478 mm

DXN series
Appealing design: it can be smartly positioned in any situation, from luxury lounges to unconventional traditional pubs, allowing customers to cool their drinks to their own taste, without any hygiene hazards.
Display: appealing frontal all-black touch screen display. Touch-activated or touch-free version.
Footprint: large flow of ice in a small footprint.
Simple serviceability: extractable washable drip tray and anti-clog drain filter.

AFC series
XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.
Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer (only AFC 134).
PWD - Progressive Water Discharge (optional): pumps excess residual water up to a distance of 15 meters (only AFC 134).
Built-in storage bin: allows undercounter installations for easier fit-in solution.

AFC 87
Ice type:
Cubelet
Condensing system:
Air cooled
Water cooled
Max daily production:
85 kg

Storage bin capacity:
25 kg
Dimensions:
W 535 mm
D 626 mm
H 800 mm / 889 mm with legs

AFC 137
Ice type:
Cubelet
Condensing system:
Air cooled
Water cooled
Max daily production:
130 kg

Storage bin capacity:
40 kg
Dimensions:
W 950 mm
D 605 mm
H 789 mm / 869 mm with legs

EFC 137
Ice type:
Cubelet
Condensing system:
Air cooled
Water cooled
Optional:
PWD - Progressive Water Discharge
Max daily production:
130 kg

Storage bin capacity:
40 kg
Dimensions:
W 950 mm
D 605 mm
H 789 mm / 869 mm with legs

Stirring Spirits

FLAKE



Ice produced just below zero degrees Celsius.
Highly versatile, it's suitable for multiple applications,
including fish display counters, buffet displays,
frozen drink preparations.

Flake

Residual water content 25%

Superflake

Residual water content 15%

AF SERIES
EF SERIES
XSafe

Specsheets

AF 87
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Max daily production:
70 kg

AF 87 LAB for Medical segment

AF 107
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Max daily production:
130 kg

AF 127
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Max daily production:
126 kg

AF 157
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Max daily production:
190 kg

Storage bin capacity:
25 kg
Dimensions:
W 535 mm
D 626 mm
H 800 mm / 889 mm with legs

Storage bin capacity:
30 kg
Dimensions:
W 592 mm
D 622 mm
H 997 mm / 1077 mm with legs

Storage bin capacity:
40 kg
Dimensions:
W 950 mm
D 605 mm
H 789 mm / 869 mm with legs

Storage bin capacity:
60 kg
Dimensions:
W 950 mm
D 605 mm
H 1000 mm / 1080 mm with legs

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Clean alert: advises with a blink when it's time to clean the filter.
Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.
Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.
PWD - Progressive Water Discharge (optional on AF series): pumps excess residual water up to a distance of 15 meters.
Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.
Ergonomic access to ice with sliding disappearing door: one-touch door lift, makes barman's life significantly easier (AF series).
AF series - built-in storage bin: allows most undercounter installations for easier fit-in solutions.
EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

EF 107
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Optional:
PWD - Progressive Water Discharge
Max daily production:
130 kg

Storage bin capacity:
30 kg
Dimensions:
W 592 mm
D 622 mm
H 997 mm / 1077 mm with legs

EF 127
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Optional:
PWD - Progressive Water Discharge
Max daily production:
126 kg

Storage bin capacity:
40 kg
Dimensions:
W 950 mm
D 605 mm
H 789 mm / 869 mm with legs

EF 157
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Optional:
PWD - Progressive Water Discharge
Max daily production:
190 kg

Storage bin capacity:
60 kg
Dimensions:
W 950 mm
D 605 mm
H 1000 mm / 1080 mm with legs

* For all possible bin combinations available, please refer to chart at page 86.

MXF SERIES

Specsheets

MXF 327
Ice type:
Superflake
Condensing system:
Air cooled
Water cooled
Max daily production:
133 kg

Dimensions (Head only):
W 560 mm
D 615 mm
H 450 mm
Recommended bins:
SB 193, SB 322

MXF 427
Ice type:
Superflake
Condensing system:
Air cooled
Water cooled
Max daily production:
240 kg

Dimensions (Head only):
W 560 mm
D 600 mm
H 600 mm
Recommended bins:
SB 193, SB 322

MXF 627
Ice type:
Superflake
Condensing system:
Air cooled
Water cooled
Max daily production:
300 kg

Dimensions (Head only):
W 560 mm
D 615 mm
H 600 mm
Recommended bins:
SB 193, SB 322

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.
Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.
Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.
Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.
Head only ice maker: requires a separate storage bin to store the ice produced.*
EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.
New display: touch and smart.
XWave: new App to control the ice machine

MXF 1027

Ice type:
Superflake
Condensing system:
Air cooled
Water cooled
Max daily production:
500 kg

Dimensions
(Head only):
W 560 mm
D 615 mm
H 735 mm
Recommended bins:
SB 193, SB 322

MXF 1237

Ice type:
Superflake
Condensing system:
Air cooled
Water cooled
Max daily production:
550 kg

Dimensions
(Head only):
W 765 mm
D 615 mm
H 650 mm
Recommended bins:
SB 193, SB 322

MF SERIES
XSafe

Specsheets

MF 37 - R290
Ice type:
Flake
Condensing system:
Air cooled
Max daily production:
200 kg

Dimensions (Head only):
W 564 mm
D 536 mm
H 531 mm
Recommended bins:
SB 193, SB 322

MF 47 - R290
Ice type:
Superflake
Condensing system:
Air cooled
Max daily production:
300 kg

Dimensions (Head only):
W 538 mm
D 663 mm
H 650 mm
Recommended bins:
SB 193, SB 322

MF 46 - R452
Ice type:
Superflake
Condensing system:
Air cooled
Max daily production:
330 kg

Dimensions (Head only):
W 538 mm
D 663 mm
H 650 mm
Recommended bins:
SB 193, SB 322

MF 57 - R290
Ice type:
Superflake
Condensing system:
Air cooled
Max daily production:
450 kg

Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 393, SB 530, SB 948, SB 1025

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.
External indicator lights: keeps ice maker's operations under constant surveillance.
Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.
Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.
Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.
Head only ice maker: requires a separate storage bin to store the ice produced.*
EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

MF 56 - R452

Ice type:
Superflake
Condensing system:
Air cooled
Water cooled
Air cooled remote
Max daily production:
600 kg

Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 393, SB 530, SB 948, SB 1025

MF 66 - R452

Ice type:
Superflake
Condensing system:
Air cooled
Water cooled
Air cooled remote
Max daily production:
1150 kg

Dimensions (Head only):
W 1065 mm
D 698 mm
H 850 mm
Recommended bins:
SB 948, SB 1025, UBH 1100, UBH 1600

MF 86 - R452

Ice type:
Superflake
Condensing system:
Air cooled
Water cooled
Air cooled remote
Max daily production:
2500 kg

Dimensions:
W 1080 mm
D 780 mm
H 1140 mm / 1255 mm with legs
Recommended bins:
UBH 2250, SIS 1350

* For all possible bin combinations available, please refer to chart at page 66.

MF SERIES
XSafe

Specsheets

MF 58 Split
Ice type:
Superflake
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
600 kg

MF 68 Split
Ice type:
Superflake
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
1220 kg

MF 88 Split
Ice type:
Superflake
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
2500 kg

Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 530, SB 948, SB 1025

Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 948, SB 1025, UBH 1100, UBH 1600

Dimensions:
W 540 mm
D 780 mm
H 1140 mm / 1255 mm with legs
Recommended bins:
UBH 2250, SIS 1350

* For all possible bin combinations available, please refer to chart at page 86.

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.
External indicator lights: keeps ice maker's operations under constant surveillance.
Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.
Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.
Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.
Head only ice maker: requires a separate storage bin to store the ice produced.*
EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

MF 59 Split - R744

Ice type:
Superflake
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
700 kg

Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 530, SB 948, SB 1025

MF 69 Split - R744

Ice type:
Superflake
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
1400 kg

Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 948, SB 1025, UBH 1100, UBH 1600

SCALE

Featuring less than 2% residual water content, it's our coldest form of ice and is very dry. Made by irregular fragments of ice with a variable thickness adjustable from 1 to 2 mm. Ideal for food processing and large food displays in supermarkets.

Scale ice

Residual water content 2%

MAR SERIES
COMPACT MODELS

Specsheets

MAR 56
Compact configuration
Ice type:
Scale ice
Condensing system:
Air cooled
Water cooled
Max daily production:
426 kg

Dimensions:
W 906 mm
D 621 mm + 192 mm
H 1125 mm

MAR 76
Compact configuration
Ice type:
Scale ice
Condensing system:
Air cooled
Water cooled
Max daily production:
570 kg

Dimensions:
W 906 mm
D 621 mm + 192 mm
H 1125 mm

MAR 106
Compact configuration
Ice type:
Scale ice
Condensing system:
Air cooled
Water cooled
Max daily production:
785 kg

Dimensions:
W 906 mm
D 621 mm + 192 mm
H 1125 mm

MAR 126
Compact configuration
Ice type:
Scale ice
Condensing system:
Air cooled
Water cooled
Max daily production:
1000 kg

Dimensions:
W 906 mm
D 621 mm + 192 mm
H 1125 mm

Stainless steel horizontal evaporating drum: for a life-long working endurance.
Floor standing compatible: delivers ice straight into carts, trolleys or ice boxes.
Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.
All water in / all ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.
Compact configuration: includes evaporator, compressor and condensing units, and it is supplied without panels on the group (optional).

MAR 206

Compact configuration
Ice type:
Scale ice
Condensing system:
Air cooled
Water cooled
Max daily production:
1850 kg

Dimensions:
W 1326 mm
D 676 mm + 177 mm
H 1125 mm

MAR 306

Compact configuration
Ice type:
Scale ice
Condensing system:
Air cooled remote
Water cooled
Max daily production:
2450 kg

Dimensions:
W 1326 mm
D 676 mm + 177 mm
H 1125 mm

MAR SERIES SPLIT MODELS

Specsheets

MAR 78
Split configuration
Ice type:
Scale ice
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
570 kg

Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

MAR 79 - R744
Split configuration
Ice type:
Scale ice
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
540 kg

Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

MAR 108
Split configuration
Ice type:
Scale ice
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
785 kg

Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

MAR 109 - R744
Split configuration
Ice type:
Scale ice
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
720 kg

Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

MAR 128
Split configuration
Ice type:
Scale ice
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
1000 kg

Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

Stainless steel horizontal evaporating drum: for a life-long working endurance.
Floor standing compatible: delivers ice straight into carts, trolleys or ice boxes.
Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.
All water in / all ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.
Split configuration: evaporator supplied only. For connections to remote condensing units, either dedicated or centralized.
EcoX: products using natural refrigerants only, Hydrocarbons R290 or Carbon Dioxide R744.

MAR 129 - R744
Split configuration
Ice type:
Scale ice
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
1000 kg

Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

MAR 208
Split configuration
Ice type:
Scale ice
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
1850 kg

Dimensions:
W 1326 mm
D 661 mm + 192 mm
H 520 mm

MAR 209 - R744
Split configuration
Ice type:
Scale ice
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
1850 kg

Dimensions:
W 1326 mm
D 661 mm + 192 mm
H 520 mm

MAR 308
Split configuration
Ice type:
Scale ice
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
2450 kg

Dimensions:
W 1326 mm
D 661 mm + 192 mm
H 520 mm

Ice Storage Systems



SB SERIES

Slope front bins. Insulated, inside rounded corner, for daily turnover of ice.
Easy to clean and maintain, removable gaskets.
The reinforced hinges provide enhanced durability. The slope front makes access to ice as easy as possible.
From 129 kg to 478 kg storage capacity range.
Compatible with any type of ice.



UBH SERIES

Upright bins. First-in first-out concept provides a constantly fresh ice supply and high level of hygiene.
Insulated, inside rounded corner, of higher capacity demand for ice and longer stock periods.
Sturdy enough to sustain even the largest ice makers. Front windows allow operators to always keep an eye on the product inside.
From 553 kg to 1068 kg storage capacity.
Compatible with any type of ice.



SIS SERIES

Upright bins with integral trolleys. First-in first-out concept provides a constantly fresh ice supply and high level of hygiene.
73 kg capacity trolleys, insulated and top-closed with lids, facilitate ice transportation. Ice falls down into trolleys gravitationally, with no need of tiresome shoveling.
Insulated, inside rounded corner, for higher capacity demand for ice and longer stock periods. Sturdy enough to sustain even the largest ice makers.
Front windows allow operators to always keep an eye on the product inside.
From 210 kg to 759 kg storage capacity.
Compatible with any type of ice.

SB SERIES

SB 193
Storage capacity:
129 kg

Dimensions:
W 568 mm
D 845 mm
H 1048 mm

SB 293
Storage capacity:
123 kg

Dimensions:
W 568 mm
D 845 mm
H 1048 mm

SB 322
Storage capacity:
168 kg

Dimensions:
W 569 mm
D 869 mm
H 1271 mm

SB 393
Storage capacity:
181 kg

Dimensions:
W 768 mm
D 845 mm
H 1048 mm

SB 530
Storage capacity:
243 kg

Dimensions:
W 771 mm
D 865 mm
H 1270 mm

SB 550
Storage capacity:
252 kg

Dimensions:
W 1082 mm
D 824 mm
H 968 mm

SB 948
Storage capacity:
406 kg

Dimensions:
W 1238 mm
D 869 mm
H 1272 mm

SB 1025
Storage capacity:
478 kg

Dimensions:
W 1331 mm
D 871 mm
H 1272 mm

UBH SERIES

UBH 1100
Storage capacity:
553 kg

Dimensions:
W 1220 mm
D 1128 mm
H 1427 mm

UBH 1600
Storage capacity:
812 kg

Dimensions:
W 1524 mm
D 1128 mm
H 1731 mm

UBH 2250
Storage capacity:
1068 kg

Dimensions:
W 1828 mm
D 1468 mm
H 1292 mm

SIS SERIES

SIS 300
Storage capacity:
137 kg + 73 kg ice cart

Dimensions:
W 884 mm
D 1025 mm
H 1343 mm

SIS 700
Storage capacity:
318 kg + 73 kg ice cart

Dimensions:
W 885 mm
D 1267 mm
H 1803 mm

SIS 1350
Storage capacity:
613 kg + 73 kg + 73 kg ice carts

Dimensions:
W 1753 mm
D 1267 mm
H 1803 mm

ACCESSORIES
CARTS AND TOTES

Scotsman

Head/bin combination chart

	SB193/NB193	SB322	SB293	SB393/NB393	SB530	SB550	SB948
MODULAR UNITS / BINS	129	168	123	181	243	252	406
MXG327	✔	✔					
MXG427	✔	✔				BINTOPMXGSB55	
MXG437			✔	✔	✔	BINTOPMXGSB55	
MXG638/MXG637			✔	✔	✔	BINTOPMXGSB55	CBT48EAMCD
MXG938			✔	✔	✔	BINTOPMXGSB55	CBT48EAMCD
NW307/NXW307	✔	✔	CBT30EMCD	CBT30EMCD	CBT30EMCD		
NW308/NXW308	✔	✔	CBT30EMCD	CBT30EMCD	CBT30EMCD		
NW507/NXW507	✔	✔	CBT30EMCD	CBT30EMCD	CBT30EMCD		
NW508/NXW508	✔	✔	CBT30EMCD	CBT30EMCD	CBT30EMCD		
NW457/NXW457			✔	✔	✔	CBT42EMCD	CBT48EAMCD
NW458/NXW458			✔	✔	✔	CBT42EMCD	CBT48EAMCD
NW607/NXW607			✔	✔	✔	CBT42EMCD	CBT48EAMCD
NW608/NXW608			✔	✔	✔	CBT42EMCD	CBT48EAMCD
NXW707	✔	✔	CBT30EMCD	CBT30EMCD	CBT30EMCD		
NXW708	✔	✔	CBT30EMCD	CBT30EMCD	CBT30EMCD		
NXW1007			✔	✔	✔	CBT42EMCD	CBT48EAMCD
NW1008/ NXW1008			✔	✔	✔	CBT42EMCD	CBT48EAMCD
NW1408					✔	CBT42EMCD	CBT48EAMCD
MFN46/MFN47	CBT22EFCD	CBT22EFCD	CBT30EFSD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MFN56/MFN57	CBT22EFCD	CBT22EFCD	CBT30EFSD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MFN86							
MFN88							
MXF 327	✔	✔	CBT 30 EFCD	CBT 30 EFCD	CBT 30 EFCD	CBT 42 EFCD	
MXF 427	✔	✔	CBT 30 EFCD	CBT 30 EFCD	CBT 30 EFCD	CBT 42 EFCD	CBT 48 EFCD
MXF 627	✔	✔	CBT 30 EFCD	CBT 30 EFCD	CBT 30 EFCD	CBT 42 EFCD	CBT 48 EFCD
MXF 1027		✔	CBT 30 EFCD	CBT 30 EFCD	CBT 30 EFCD	CBT 42 EFCD	CBT 48 EFCD
MXF 1237			✔	✔	✔	CBT 42 EFCD	CBT 48 EFCD
MF37	✔	✔	CBT30EFSD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF46	CBT22EFCD	CBT22EFCD	CBT30EFSD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF47	CBT22EFCD	CBT22EFCD	CBT30EFSD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF56	CBT22EFCD		CBT30EFSD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF57			CBT30EFSD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF58			CBT30EFSD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF59			CBT30EFSD	CBT30EFSD	CBT30EFSD	CBT42EFSD	CBT48FMCD
MF66							
MF68							CBT48FMCD
MF69							CBT48FMCD
MF86/88							
MAR56							
MAR76/78							
MAR79							
MAR106/108							
MAR109							
MAR126/128/129							
MAR206/208							
MAR306/308							

✔ Perfect combination between ice-maker and bin ● Ice chute cut-out performed upon installation
CBT xxxxxxxxxx need additional bin top

SB1025	UBH1100	UBH1600	UBH2250	SIS300	SIS700	SIS1350	
478	553	812	1068	137 + 73	318 + 73	613+73+73	**BINS / MODULAR UNITS**
							MXG327
	●	●			●	●	**MXG427**
	●	●			●	●	**MXG437**
CBT52EAMCD	●	●			●	●	**MXG638/MXG637**
CBT52EAMCD	●	●			●	●	**MXG938**
					●	●	**NW307/NXW307**
					●	●	**NW308/NXW308**
					●	●	**NW507/NXW507**
					●	●	**NW508/NXW508**
					●	●	**NW457/NXW457**
					●	●	**NW458/NXW458**
					●	●	**NW607/NXW607**
					●	●	**NW608/NXW608**
					●	●	**NXW707**
					●	●	**NXW708**
CBT52EAMCD	●	●			●	●	**NXW1007**
CBT52EAMCD	●	●			●	●	**NW1008/ NXW1008**
CBT52EAMCD	●	●			●	●	**NW1408**
CBT52FMCD	●			●	●		**MFN46/MFN47**
CBT52FMCD	●	●		●	●		**MFN56/MFN57**
			●			●	**MFN86**
			●			●	**MFN88**
				●			**MXF 327**
				●			**MXF 427**
CBT 52 EFCD	●			●	●		**MXF 627**
CBT 52 EFCD	●	●		●	●		**MXF 1027**
CBT 52 EFCD	●	●		●	●		**MXF 1237**
				●			**MF37**
CBT52FMCD	●			●	●		**MF46**
CBT52FMCD	●			●	●		**MF47**
CBT52FMCD	●	●		●	●		**MF56**
CBT52FMCD	●	●		●	●		**MF57**
CBT52FMCD	●	●		●	●		**MF58**
CBT52FMCD	●	●		●	●		**MF59**
	●	●	●			●	**MF66**
CBT52FMCD	●	●	●			●	**MF68**
CBT52FMCD	●	●	●			●	**MF69**
			●			●	**MF86/88**
	●	●	●	●	●	●	**MAR56**
	●	●	●	●	●	●	**MAR76/78**
	●	●	●	●	●	●	**MAR79**
	●	●	●		●	●	**MAR106/108**
	●	●	●		●	●	**MAR109**
	●	●	●		●	●	**MAR126/128/129**
		●	●			●	**MAR206/208**
		●	●			●	**MAR306/308**

OTHER PRODUCTS

SCW 14 B - EVO - R290
Pressure water cooler
Max cooled litres/hour:
50 litres

Dimensions:
W 404 mm
D 332 mm
H 1034 mm

SCW 14 FP - EVO - R290
Pressure water cooler
Max cooled litres/hour:
50 litres

Dimensions:
W 404 mm
D 332 mm
H 1034 mm

SW 12 USPH - R290
Pressure water cooler
Max cooled litres/hour:
50 litres

Dimensions:
W 400 mm
D 330 mm
H 865 mm

SW 12 S - R290
Pressure water cooler
Max cooled litres/hour:
50 litres

Dimensions:
W 432 mm
D 360 mm
H 505 mm

HD 22
Ice dispenser
Storage Capacity:
59 kg
Dispensing unit to be combined with an ice maker

Dimensions:
W 559 mm
D 850 mm
H 1351 mm

HD 30
Ice dispenser
Storage Capacity:
81 kg
Dispensing unit to be combined with an ice maker

Dimensions:
W 762 mm
D 850 mm
H 1351 mm

CRUSHMAN 360
Crushes all ice cubes
6 kg per minute

Dimensions:
W 245 mm
D 430 mm
H 490 mm

RBC Stand and Carts
RBC 200: 100 kg
RBC 300: 150 kg
RBC 500: 250 kg

EH Series ECLIPSE
Outdoor pre-charged refrigeration system specific for Prodigy Plus units. Designed to eliminate heat and noise from service area of the restaurant.



Global supplier for global markets

SCOTSMAN USA - HQ
USA, Canada, Latin America
Scotsman Ice Systems
101 Corporate Woods Parkway
Vernon Hills, IL 60061
Ph: +1-847-215 4500
Fax: +1-847-913 9844
sales@scotsman-ice.com
www.scotsman-ice.com

SCOTSMAN INTERNATIONAL - HQ
Europe, Africa, Middle East,
Asia & Pacific
Scotsman Ice
Via Lainate 31
20005 Pogliano Milanese
Milan - Italy
Ph: +39-02-93960 208
info@scotsman.it
www.scotsman-ice.it

CHINA MAINLAND
Scotsman Ice Systems (Shanghai)
Co., Ltd.
Room 2505, Building 2
20 Xuhong Middle Road,
Xuhui District
Shanghai China 200235
Ph: +86-21-6131 3200
Fax: +96-21-6131 3330
sales@scotsman-china.com
www.scotsman-china.com

ASIA & PACIFIC
Scotsman Industries Singapore
Pte Ltd
140 Paya Lebar Road
#08-09 AZ @ Paya Lebar
Singapore 409015
Ph: +65-6738 5393
Fax: +65-6738 1959
scotsman@scotsman.com.sg

SOUTH & CENTRAL AFRICA
Scotsman Ice Systems SA (Pty) Ltd
P.O. Box 30072, Jetpark, 1467
Unit 4 Lakeview Business Park
8-10 Yaldwyn Road, Jetpark,
Boksburg, RSA
Ph: +27-11-826-6742/1
+27-087-720 0245/6/7/8
Fax: +27-11-826-4123
+27-086-634 0803
stuart@scotsmansa.co.za
jennifer@scotsmansa.co.za

MIDDLE EAST & NORTH AFRICA
Scotsman Ice
Regional Branch (MEnA)
POBox: 42026, Sharjah, UAE
Hamriyah Free-Zone Phase # 2,
Logistic Village Warehouse # LV-10/A
ph office + 9716 5262 944
mobile 971 506 369 805
Mr. Osman S.M.
osman.sm@scotsman.ae

SPAIN
Scotsman España, S.L.U.
c/ Galapagar, 12
Poligono Industrial Ventorro del Cano
28925 Alcorcon (Madrid)
Ph: +34-91-1109796
Fax: +34-91-6337423
scotsman@scotsman-espana.es
www.scotsman-espana.es

SCOTSMAN-ICE.IT

01/2026